



**Requirements for Factory Manufactured Fireplaces and
Related Chimneys (Inserts)**

- Three (3) copies of survey
- Three (3) copies of floor plan indicating location of unit
- Two (2) copies of manufacturer’s specs, installation instructions indicating, but not limited to:
 - Factory Clearances
 - Hearth Recommendations/Dimensions
 - Solid Fuel Type Factory-built fireplaces shall be tested in accordance with U.L. – 127
 - Vented Gas Fireplace shall be tested in accordance with ANSI Z21.50-98
 - Plumbing Permit and gas riser diagram required for gas installations. Riser diagram to be provided on Town of Islip Licensed Plumber’s letterhead, or by N.Y.S. Licenses
 - Design Professional
 - Chimney/Flu Pipe Details
 - Chimneys must be U.L. Approved and designated for use proposed
 - Solid Fuel U.L. – 103 Vented Gas U.L. – 441
 - Separate Manufacturer’s information regarding chimney materials to be provided

N.Y.S. does not regulate installation of unlisted appliances. No permit will be issued for unlisted appliances.

ANY CONSTRUCTION EFFECTING STRUCTURAL ELEMENTS WILL REQUIRE ALL APPLICABLE DETAILS, SIGNED AND SEALED BY A LICENSED, N.Y.S. DESIGN PROFESSIONAL.

SMOKE DETECTORS AND CO DETECTORS TO BE PROVIDED AS PER N.Y.S. RESIDENTIAL CODE (R-317), AND (1225.2)